

## Introduction

**Offering for sale.**

1200HP Diesel Electric cantilever triple Drilling Rig regularly utilized and ready to work. All components are Canadian & North American stringent regulatory agency compliant, cold weather ready with recent boiler recertification, plumbed for steam & electric heat.

- Major component loads (Excluding pipe tubs, matting & misc loads)= @ 20 depending on move parameters @45 location move loads
- BOP Stack & Pipe Tub's negotiable
- Rig Managers accommodations included
- EXI 600 hp Tesco Top Drive included
- Tongs, Slips, Elevators, Bails & misc handling equipment negotiable

**Location:** Grande Prairie, Ab, Canada

**Equipment summary:**

Diesel Electric cantilever triple built in 2007. Depth rating 5000 m  
 Box on Box sub structure, AER Class 4 or 5 BOP  
 Forum™ hydraulic cat walk system.  
 High Kelly JC 50 D DC powered drawworks  
 10 line blocks strung to Tesco 350 ton Top Drive  
 Dual mud tanks c/w dual shale shakers, integral hard top roof system & mixing shack.  
 2- 1300 HP triplex slush pumps DC powered (5000 PSI circulating system)  
 Dog house/water tank combination c/w tool shed  
 Change shack & accumulator building  
 #1, #2 & #3 Cummins powered DC gen sets  
 Power house SCR control building  
 2 pump houses  
 2 Generator houses  
 Boiler House  
 EXI 600 hp Tesco Top Drive



	<b>Drilling Rig Sale Portfolio</b>	
--	------------------------------------	--

**MAST TYPE:** High Kelly Beam Leg Cantilever Triple  
**STATIC HOOK LOAD:** 315,000 daN w/ 12 Lines  
**RACKING CAPACITY:** 5000 m wth 4-1/2" Drill Pipe



**SUBSTRUCTURE TYPE:** Box on Box  
**ROTARY CAPACITY:** 311,375 daN (350 ton )  
**SETBACK CAPACITY:** 311,375 daN (350 ton )  
**CLEAR HEIGHT:** 20'  
**FEATURES:** Moves without Cranes



Support complex configuration  
 Forum™ Hydraulic catwalk



**ELECTRICAL POWER GENERATION**  
**QUANTITY:** 3  
**GENERATOR DRIVE:** Cummins KTA 38-A (**Spare KTA 38-A available**)  
**GENERATOR TYPE:** Stamford  
**GENERATOR SIZE:** 928 kW  
**SCR unit**

**Drilling Rig Sale Portfolio**



**HOISTING AND ROTATING EQUIPMENT**

**TOP DRIVE:** Tesco EXI 600 HP

**TOP DRIVE CAPACITY:** 311,375 daN (350 ton)

**TRAVELLING BLOCK:** 5 x 42" 311,375 daN (350 ton)

**BLOCK CAPACITY:** 311,375 daN (350 ton)

**ROTARY TABLE:** ZP – 275 (National)

**PIPE SPINNER:** Spinner Hawk Model 950 (Additionally Available)



**DRAWWORKS**

**TYPE:** High Kelly JC 50 D

**CAPACITY:** 226,950 daN w/ 10 Lines (510,000 lb.)

**POWER:** 1200 hp

**AUXILIARY BRAKE:** Eaton WC 1150 (Double 36")

**DRIVE:** Yonge YZ-208X

- (Spare gear box available)



**MUD TANK**

**CAPACITY:** 187 m3 (1187 bbls)

**TRIP TANK VOLUME:** 3.12 m3


**AGITATORS:** 6

**CENTRIFUGAL PUMPS:** 3 – 6" x 5" x 11"

**SHALE SHAKER:** 2-Brandt King Cobra

**FEATURES:** Integrel Hard top Lift roof w / tarps

	<b>Drilling Rig Sale Portfolio</b>	
--	------------------------------------	--



**MUD PUMPS**  
**QUANTITY:** 2  
**TYPE:** CSF-1300 (5000 PSI Circulating System)  
**POWER:** 960 kW (1300 hp)  
**STROKE:** 305 mm (12 in)  
**DRIVE:** GE 752



**WELL CONTROL SYSTEM**  
**Configuration:** Annular Preventor, double gate & single rams, twin choke & Kill lines  
**BOP STACK DIAMATER:** 280mm (11")  
**BOP RATING:** 35,000 kPa (5000 psi)  
**BOP TRIM TYPE:** NACE  
**BOP TYPE:** Shaffer  
**CHOKE MANIFOLD:** Double wing 3 1/8" 35 mPa (5000 psi) Remote choke compatible  
**ACCUMULATOR:** Dong Su, 7 station (Critical Sour compliant)  
**ACCUMULATOR VOL.:** 680 liters (180 Gal.)  
**DEGASSER:** Dual Poor-boy degassers & tank



**Auxiliary Equipment:**  
 Rig Manager accommodation  
 Tool shack  
 Simonneau 125 HP Boiler  
 Misc sub containers  
 Flare line rack  
 All pipe contained in tubs

